





大友恒集团
DA YOU HENG GROUP

GMC

PROFESSIONAL OEM/ODM MANUFACTURER

LED TV Monitor Interactive Whiteboard

Guangzhou GMC Tech Co., Limited



GLOBAL LICENSE BRAND REGISTERED



Looking For Global Agency

Home Appliances: LED TV

More Country Agency, welcome to contact us

Electronic Product: Monitor

Update May, 2025



@GMC Tech Group Co., Limited

COMPANY Profile

Guangzhou GMC Tech Co., Limited is Hunan Dayou Heng Group overseas sales company in Guangzhou, is a scientific and technological innovative enterprise, focusing on the field of new energy research and development and integrating production and marketing.

DYH GROUP includes five subsidiaries:

Guangzhou GMC Tech Co., Limited (Company for International Business)

GMC Tech Group Co., Limited (Company for T/T Payment)

Hunan Gewei Technology Co., LTD (Company for OA/LC/DA/DP Payment)

Hunan Zhonghe Technology Co., LTD (Company for China mainland Business)

Hunan Xingfeng Technology Co., LTD (Company for China mainland Payment)

We have won the honor of national Hi-Tech enterprises certificated by government, and have CE/Rohs/CB/COC/FCC certificated. ISO9001/ISO14001/ISO45001 applying, foreign trade top 100 enterprises and so on. Our company has 23 automatic production lines, 32 patents and about 150 employees. In 2015, our company introduced international cutting-edge holographic image display technology, and jointly developed and obtained invention patents with South China University of Technology. In response to the call of national "One Belt and One Road" policy and to meet the strategic investment needs of our company, we invested in a new smart LCD photoelectric project, covering an area of 13,550 square meters.

Our products are divided into four parts: LCD light display and touch display, intelligent manufacturing, energy-saving home appliances, new energy charging pile supporting products. The company is developing intelligent energy-saving LCD photoelectric, new energy power supply with energy storage, loudspeaker box and other products. At present, our products are exported to Europe, America, Africa, Southeast Asia and other global regions.



COMPANY CERTIFICATE

WE ARE PROFESSIONAL



AAA quality and trustworthy unit



AAA credit enterprise



AAA level contract and trustworthy enterprise



AAA quality service integrity unit



CE/CB/COC/RoHS/FCC



Utility model patent certificate



Utility model patent certificate



Utility model patent certificate



LP Brand Country Registered




Model Patent Certificate



Model Patent Certificate



Demonstration unit of integrity management



Demonstration unit of integrity management

PARTNERSHIP BRAND



BOE

SAMSUNG

HKC



AUO

INNOLUX

CMO

ZVT

CVTE

Professional Recognition

Focus On Win-win Hand In Hand

PRODUCTION WORKSHOP



1. Workshop characteristics

We have 43,550 square meters of 100,000 class clean workshop, which can ensure the purity, temperature and quality of products.

2. Quantity control

Products have to pass several inspections before they go out, such as:

Incoming Quality Control--IQC

In Process Quality Control--IPQC

Final Quality Control --FQC

High And Low Temperature Aging Test

High Voltage Test

Push-pull Transport Test

Drop Test

Product Description

Audiovisual effects: The TV features a high-definition LCD screen with a resolution of up to 4k. It uses the most advanced technology to make color performance clearer and more vivid, and supports Dolby sound.

Features:The TV has a built-in smart TV system that supports a variety of popular applications and media services:youtube,Netflix,Google...

In addition,the TV is also equipped with a variety of interfaces, including HDMI,USB,AV...

User experience:The TV's operating system is simple and easy to use, and supports Bluetooth voice assistant, which is more convenient, and users can customize the brand or style according to their needs.




Product Specification


Mainboard	DTV
Analog TV/Smart TV	DVB-T/DVB-S/ISDB/ATSC
Resolution	Storage
1366X768(HD),1920X1080(FHD),3840X2160(UHD)	1/1.5/2G+8G、512+4G
OSD Language	
English, French, Spanish,Russian, Portuguese, Italian, Arabic,German	
Place of origin	Size
Loudi City, Hunan Province	17/19/24/32/40/43/50/55/65/75/85/100inch
Brand	Function
LP/GMCTG/GG/GMC/AIWA/Customization	CI/Bluetooth Voice /Dobly

product system


A Android System




B WebOS System




C VIDAA System




D COOLITA System



E Google System



F Yandex TV System



Tizen/Whale OS available

The above system applies : 32/40/43/50/55/65/75/85/100inch

FRAMELESS TV SERIES

01 32" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H)(mm)	Gross Weight
LP-T32F	HKC/BOE/CSOT	1366*768(HD)	AC100-240V	753*76*455mm	4.5KG
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
200cd/m ² +10/-20% (5.5%)		4g & 8g Byte	16 : 9	48W	2500PCS

FRAMELESS TV SERIES

02 39.5" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H) (mm)	Gross Weight
LP-T40F	INNOLUX	1920*1080(FHD)	AC100-240V	935*103*565mm	6.35KG
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
200cd/m ² +10/-20% (5.5%)		4G & 8G Byte	16 : 9	75W	1270PCS

FRAMELESS TV SERIES

03 43" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H) (mm)	Gross Weight
LP-T43F	HKC/BOE/CSOT	1920*1080 (FHD)	AC100-240V	996*108*590mm	7.65GK
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
220cd/m ² +10/-20% (5.5%)		4G & 8G Byte	16 : 9	75W	1020PCS

FRAMELESS TV SERIES

04 50" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H) (mm)	Gross Weight
LP-T50F	HKC/BOE/CSOT	3840*2160(UHD)	AC100-240V	1165*126*701mm	10.8KG
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
240cd/m ² +10/-20% (5.5%)		4G & 8G Byte	16 : 9	108W	620PCS

FRAMELESS TV SERIES

05 55" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H) (mm)	Gross Weight
LP-T55F	HKC/BOE/CSOT	3840*2160(UHD)	AC100-240V	1281*126*765MM(frameless) 1280*98*770MM(bordered)	11.65KG
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
240cd/m ² +10/-20% (5.5%)		4G & 8G Byte	16 : 9	108W	520PCS

FRAMELESS TV SERIES

06 65" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H) (mm)	Gross Weight
LP-T65F	LG/BOE/CSOT	3840*2160(UHD)	AC100-240V	1500*126*888mm	25KG
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
240cd/m ² +10/-20% (5.5%)		4G & 8G Byte	16 : 9	138W	360PCS

FRAMELESS TV SERIES

07 75" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H) (mm)	Gross Weight
LP-T75F	HKC/BOE/CSOT	3840*2160(UHD)	AC100-240V	1760*160*1086mm	40KG
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
250cd/m ² +10/-20% (5.5%)		4G & 8G Byte	16 : 9	230W	190PCS

FRAMELESS TV SERIES

08 85" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H) (mm)	Gross Weight
LP-T85F	HKC/BOE/CSOT	3840*2160(UHD)	AC100-240V	1970*165*1225mm	50KG
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
250cd/m ² +10/-20% (5.5%)		4G & 8G Byte	16 : 9	265W	150PCS

FRAMELESS TV SERIES

09 100" DLED TV



Model	Panel Brand	Resolution	Power Supply	Package Size (W*D*H) (mm)	Gross Weight
LP-T100F	HKC/BOE/CSOT	3840*2160(UHD)	AC100-240V	2337*165*1331mm	70/KG
Overall Brightness		Emmc Flash	Aspect Ratio	Power Consumption	Loading Qty/ 40HQ
250cd/m ² +10/-20% (5.5%)		4G & 8G Byte	16 : 9	430W	120/PCS

TEMPERED GLASS SERIES

01 32" DLED TV



Model	Packing Size			Container loading quantity		
LP-T32T	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
	780	125	500	530	1148	1420

TEMPERED GLASS SERIES

02 39.5" DLED TV



Model	Packing Size			Container loading quantity		
	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
LP-T40T	962	145	592	300pcs	675pcs	820pcs

TEMPERED GLASS SERIES

03 43" DLED TV



Model	Packing Size			Container loading quantity		
LP-T43T	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
	1035	135	647	280pcs	610pcs	768pcs

TEMPERED GLASS SERIES

03 50" DLED TV



Model	Packing Size			Container loading quantity		
	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
LP-T50T	1200	125	735	218pcs	500pcs	630pcs

TEMPERED GLASS SERIES

04 55" DLED TV



Model	Packing Size			Container loading quantity		
LP-T55T	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
	1315	125	800	160pcs	410pcs	530pcs

TEMPERED GLASS SERIES

05 65" DLED TV



Model	Packing Size			Container loading quantity		
LP-T65T	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
	1510	136	898	130pcs	290pcs	358pcs

TEMPERED GLASS SERIES

06 75" DLED TV



Model	Packing Size			Container loading quantity		
	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
LP-T75T	1827	173	1110	68pcs	148pcs	188pcs

TEMPERED GLASS SERIES

07 85" DLED TV



NETFLIX

YouTube

prime video

Model	Packing Size			Container loading quantity		
LP-T85T	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
	1980	175	1235	50pcs	120pcs	150pcs

TEMPERED GLASS SERIES

08 100" DLED TV



Model	Packing Size			Container loading quantity		
LP-T100T	L(mm)	W(mm)	H(mm)	20GP	40GP	40HQ
	2347	175	1341	42/pcs	96/pcs	112/pcs

REMOTE CONTROL

Normal Series

Appearances are designed according to customer's requirements.



A02

176x44x23mm



A03

198x46x22mm



A04

194x47x22mm

REMOTE CONTROL

Normal Series

Appearances are designed according to customer's requirements.



A06

229x47x22mm



A16

229x47x22mm



A17

229x47x22mm

REMOTE CONTROL

Optional(Charged)

Appearances are designed according to customer's requirements.



A09

220x50x20mm



A12

198x46x22mm

REMOTE CONTROL

Voice Remote Control

Appearances are designed according to customer's requirements.



B02

CVT Voice Bluetooth
remote control

210x43x20mm



B03

CVT Voice-flying squirrel
Bluetooth remote control

210x43x20mm

REMOTE CONTROL

WebOS TV Remote Control

Google TV Remote Control

Appearances are designed according to customer's requirements.



WEBOS 01

Regular version

170x47x23mm



WEBOS 02

Flying Squirrel + Voice Version

185x48x30mm



GOOGLE REMOTE

Bluetooth+Voice+Infrared remote

190x51x34mm

REMOTE CONTROL

VIDAA TV Remote Control

Yandex TV Remote Control

Appearances are designed according to customer's requirements.



170x47x23mm



152x39mm

SPEAKER ITMES

Normal Speaker



4080 Speaker



5090 Speaker



3070 Speaker

SPEAKER ITMES

Normal Speaker



413 Speaker



3090 Speaker



3090 Speaker

SPEAKER ITMES

Box Speaker



413 Box Speaker



413-7 Box Speaker




30180 Box Speaker



5090 New Box Speaker

SPEAKER ITEMS

Column Speaker



Column Speaker



50mm Long Column Speaker

MONITOR SERIES

» Entry Product



Size	Model	Com- patibility OC	Adaptive Mainboard	Terminal Direction	Base	Wall Hanging	Key-press	Loud- speaker	Built-in Power Supply	Product Feature
23.8"	LP-M23.8M	mains -tream	Mainstre -am owne -rship	downward	Removable plastic base,Optional metal, lifting	VESA100	Five way rocker	optional	optional	higher cost performance, Achieved half-inclusive package style,all-inclusive design.Large space, support large mainboard, multi-interface, support built-in power supply.The backlight technology is mature and can provide customers with a variety of choices: high light, high color gamut, low blue light (physical) and more.
27"	LP-M27M	mains -tream	Mainstre -am owne -rship	downward	Removable plastic base,Optional metal, lifting	VESA100	Five way rocker	optional	optional	

MONITOR SERIES

» Middle-End Product



Size	Model	Com- patibility OC	Adaptive Mainboard	Terminal Direction	Base	Wall Hanging	Key-press	Loud- speaker	Built-in Power Supply	Product Feature
23.8"	LP-M23.8M	mains -tream	mains -tream	backwards	Metal base is available in many styles	75*75	Five way rocker	optional	No	Achieved precise,simple,thin, extremely four design styles.support large mainboard, multi-interface, support built-in power supply.The backlight technology is mature and can provide customers with a variety of choices: high light, high color gamut,low blue light (physical) and more.
27"	LP-M27M	mains -tream	mains -tream	backwards	Metal base is available in many styles	75*75	Five way rocker	optional	No	

MONITOR SERIES


High-End Product



Size	Model	Com- patibility OC	Adaptive Mainboard	Terminal Direction	Base	Wall Hanging	Key-press	Loud- speaker	Built-in Power Supply	Product Feature
23.8"	LP-M23.8M	mains -tream	Mainstre -am owne -rship	downward	Quick metal removal, high base, optional lifting	VESA75	Five way rocker	optional	optional	Beautiful shape, all-inclusive structure of ultra-thin style, light e-sports style and business style free to switch, three bases are optional, business style, e-sports style, lifting. Large space, support large mainboard, multi-interface, support built-in power supply. Strong compatibility, customers can choose most OC assembly, thus achieving high resolution, high refresh, high color depth, fast response and more. The backlight technology is mature and can provide customers with a variety of choices: high light, high color gamut, low blue light (physical) and more.
27"	LP-M27M	mains -tream	Mainstre -am owne -rship	downward	Quick metal removal, high base, optional lifting	VESA75	Five way rocker	optional	optional	

MONITOR SERIES

» Lifting Pedestal- Universal Base



GMC

GD

GMCTG

AIWA



Your Home Life's Perfect Partner

CONTACT US

Oversea Company: Guangzhou GMC Tech Co., Limited

GMC Tech Group Co., Limited

Office Address: Unit 410, Guanbang International, No. 5 Linhe Nan Road, Huadu District, Guangzhou City Guangdong Province China.510800

Manufacturing Address: Louxing Industrial Development Zone, Loudi City, Hunan Province, China

Office Line: 0086 020 86800434

Email: Gobe.Fong@gmctechgroup.com

Gobe.Fong@foxmail.com

Website: www.gmctechgroup.com

Wechat Scan



WhatsApp Scan

